In the Claims:

7.

server.

20

		·				
	1.	A method of providing configuration access to a DNS server system				
	from a client in a computer network, the method comprising the steps of:					
		establishing communicative coupling between a client web browser				
5	and a DNS server system web server;					
		requesting a user interface, adapted to provide configuration access to a				
	DNS server system; and					
		-downloading-the user-interface from-the DNS-server-system over the				
	computer net	work.				
10	2.	The method of claim 1, wherein the user interface comprises a GUI.				
	3.	The method of claim 1, wherein the user interface comprises a JGUI.				
	4.	The method of claim 1, wherein the user interface is adapted to provide				
	configuration	access to a DNS database.				
	£					
15	5.	The method of claim 1, wherein the user interface is adapted to provide				
15	configuration	access to a DNS object oriented database.				
	6.	The method of claim 1, wherein the user interface is adapted to provide				
		object oriented database.				

communicative coupling between the client web browser and a DNS configuration

The method of claim 1, further including the step of establishing

- 8. The method of claim 1, wherein the computer network comprises the Internet.
- 9. The method of claim 1, wherein the computer network comprises an IP based computer network.
- 5 10. The method of claim 1, wherein the computer network comprises an intranet.
 - 11. The method of claim 1, further including the step of establishing communicative coupling between the user interface and a configuration server.
- 12. The method of claim 1, wherein the DNS server system comprises a DNS server appliance.
 - 13. A method of providing an IP address for a host in a computer network, the method comprising the steps of:

receiving a request for an IP address associated with a domain name from a client in a computer network;

retrieving the requested IP address from an object oriented database; and

20

transmitting the retrieved IP address to the client.

- 14. The method of claim 13, further comprising the step of establishing communicative coupling between a client web browser and a DNS server.
- 15. The method of claim 13, wherein the computer network comprises the Internet.

- 16. The method of claim 13, wherein the computer network comprises an IP based computer network.
- 17 The method of claim 13, wherein the computer network comprises an intranet.

5	18.	The method of clai	im 13, wherein the	e DNS server s	ystem	comprises a
	DNS server	appliance.				
•						